



Scopus® doi

Journal of Vibration Engineering

ISSN:1004-4523

Registered



SCOPUS



GOOGLE SCHOLAR



DIGITAL OBJECT
IDENTIFIER (DOI)



IMPACT FACTOR 6.1



Our Website
www.jove.science

Modelling of an Inventory System of Supply Chain in Fuzzy System

Mamta Kansal^{1*}, Amit Tuteja¹, Vinod Kumar¹, J.P. Chaudhary² Anil

Kumar³ ¹Guru Kashi University, Talwandi Sabo, Bathinda, Punjab, India.

²Department of Mathematics, TDPG College, Jaunpur, Uttar Pradesh, India.

³Department of Mathematics, School of Physical Science Sta

rex University Gurugram Haryana India

ABSTRACT

Deteriorating production system works with inventory model on a supply chain system for considering transportation cost depending upon quantity ordered and distance from supplier's production unit to retailer's warehouse. First a crisp model is developed and considering

some parameters of fuzzy nature affecting inventory cost, a corresponding fuzzy model is developed. In an inventory modelling separate model has been developed for retailer as well as supplier and rarely transportation cost is taken into account. In the present modelling total average inventory cost of supply chain including retailers and supplier together is minimized under crisp and fuzzy environment. Demand parameter of retailer's is considered as inventory level dependent. During production and storage, constant deterioration occurs at retailer's and supplier's warehouse. The objective of this paper is to derive an inventory model that together minimize the total average inventory cost of supply chain using signed Distance Method to defuzzify the fuzzy numbers. Numerical example is presented to validate the model applicability and sensitivity analysis has been performed on fuzzy parameters in the model.

Key words: Triangular Fuzzy Number, Signed Distance Methods, Inventory level dependent demand, distance and ordered quantity dependent transportation cost.

1.0 INTRODUCTION

Inventory is the most important commodity of business and in the system of business many steps are involved when commodities are distributed during business process. Most of the inventory models are developed to minimize the inventory cost of a businessman involved at single level of business process. In the business there are mainly four level of distribution of commodities which are Producer/manufacturer of products/commodities, Distributors/Suppliers of commodities and Retailers of Products/commodities and end users that is consumers. All stockists are involved in the business process. Most of research papers involved in modelling inventory system of single item or multi-items are to minimize the cost of inventory system for either retailers, suppliers or manufacturer. In the field supply chain system where many businessmen at various levels are involved, researchers have developed model of SCN (Supply

Chain Network) considering transportation of commodities among the businessman and endusers. Researchers have considered various factors affecting inventory system or SCN including cost parameters which are the most important factors to be modelled in a such way that minimized the total inventory cost or cost of supply chain network and hence making profit for the business. Various inventory models considered constant rate of demand, time dependent demand, exponential and stock dependent demand. But these are not always fruitful in optimizing inventory system.

During the marketing process of commodities in a business, items are produced /manufactured at various level and finished goods are brought in the market to be used by end consumers. In this process, at various level either during production process, stock holding process and inventory in transit system, some items are deteriorated and some are in good condition to be used until it reaches to end consumers. Deterioration is the process in which either biochemical losses of items or physical damages during all processes of supply chain causing loss to the businessman. Therefore, deterioration is the key factor affecting the inventory cost during the storage period and in transit period and so has drawn attention of researchers since past many decades.

During the business process, uncertainty in the market causes inflation in the price and also in the production system. The uncertainty of the market cannot be dealt with parameters having certain and fixed value. Forecasting cannot be considered as exact quantity of requirement and may vary any time due to various uncertain causes in the country. Similarly, inflation in the cost parameters is also uncertain depending on the situation and crisis of present time. Therefore, there is need to study the uncertain situation of future and model the system accordingly so that uncertainty of the market scenario can be observed closely to the crisp quantity of commodities. In this area, many research papers have been published to deal with

the uncertain situation and quantity. This type of uncertainty was initially observed and studied by the L.A. Zadeh [1] in seventeenth century considering interval-based membership function describing a graded value. Using fuzzy set theory in fuzzy environment many papers are available [2,3,4,5,6,7,8,9,10,11,12,25]. Few recent researchers in their papers [13,14,15,16,17,18,19,20,21] have considered fuzzy situation of market scenario and developed models of inventory system accordingly. In these papers they have considered only inventory modelling of an inventory system in fuzzy environment and most of these have not included the transportation activities and cost of transportation. In current scenario many researchers are working in modelling supply chain system considering transportation network of commodities but still very few are considering the fuzzy environment to deal with future uncertain situation that are not exact but may be very close to the situation in demand during the time. Dincer Konur [22] has developed a Carbon constrained integrated inventory control and truck load transportation with heterogeneous freight trucks by including the transportation system in inventory modelling. A tri-level location model for forward/reverse supply chain has been proposed by Amir Mohammad et. al. [23]. Optimizing Supply chain network for perishable products using improved bacteria foraging algorithm (IBFA) is developed by Amit Kumar Sinha and Ankush Anand [24] and compared the result of IBFA with existing BFA. However, these models have not considered in optimizing total inventory cost of supply chain together in a fuzzy environment.

Motivated by various research papers of inventory modelling and model of supply chain system of transportation involving commodities in the present market scenario of competitive business era, an inventory model is proposed for supply chain system involving supplier and

retailer to optimize total average inventory cost of both together involved in the business process. First, a crisp model has been developed under inventory level demand rate and corresponding fuzzy model is developed to deal with uncertain situation of production rate, demand rate, deterioration rate and purchasing rate. It is assumed that production and supply are instantaneous and have no shortages of demand. Fuzzy parameters consider triangular fuzzy numbers which are defuzzified using Signed Distance Method. The study includes only single item. Sensitivity analysis have been performed on fuzzy parameters in case of fuzzy models.

2.0 Preliminaries of Fuzzy Set

Fuzzy set theory has emerged as a very powerful tool to quantitatively represent and manipulate the imprecised data that is used to govern the decision-making process. Mostly fuzzy numbers are used in the inventory modelling to encounter the imprecise data by setting the values of input parameters to be function of fuzzy triplet of trapezoidal or other fuzzy numbers. Some definition of fuzzy set are represented here.

Fuzzy Set: A fuzzy set $\tilde{V}$ on a given universal set X is denoted and defined

$$\text{by } \tilde{V} = \{(x, \lambda_{\tilde{V}}(x)) : x \in X\}$$

Where $\lambda_{\tilde{V}}: X \rightarrow [0, 1]$, is the membership function and $\lambda_{\tilde{V}}(x)$ describes degree of x in $\tilde{V}$.

Fuzzy Triangular Number: A fuzzy number is specified by the triplet (a_1, a_2, a_3) is known as a triangular fuzzy number if $a_1 < a_2 < a_3$ and is defined by its continuous membership function $\lambda_{\tilde{V}}: X \rightarrow [0, 1]$ as follows:

$$\lambda_{\tilde{V}}(x) = \begin{cases} \frac{x-a_1}{a_2-a_1} & \text{if } a_1 \leq x \leq a_2 \\ \frac{a_3-x}{a_3-a_2} & \text{if } a_2 \leq x \leq a_3 \\ 0 & \text{otherwise} \end{cases}$$

Signed Distance: Let $\tilde{V}$ be the fuzzy set defined on the $\mathbb{R}$ (set of real numbers), then the signed distance of $\tilde{V}$ is defined as

$$d(\tilde{V}, 0) = \frac{1}{2} \int_0^1 [V_L(\alpha) + V_R(\alpha)] d\alpha$$

where $V_\alpha = [V_L(\alpha), V_R(\alpha)] = [a+b-\alpha, d-(d-c)\alpha]$, $\alpha \in [0, 1]$ is a α -cut of a fuzzy

set $\tilde{V}$. If $\tilde{V} = (a_1, a_2, a_3)$ is a triangular fuzzy number then the signed distance of $\tilde{V}$ is defined as

$$d(\tilde{V}, 0) = \frac{1}{4} (a_1 + 2a_2 + a_3)$$

3.0 Assumptions and Notations

The formulation of model is based on the following assumptions and notations: -

3.1 Assumptions

1. Thereplenishmentrateisinstantaneous
2. Supplyleadtimeisnegligible.
3. Shortagesarenotalowed.
4. Rateofdeteriorationisconstant at warehouses.
5. Rateofholdingcostisconstantatbothwarehouses.
6. Deterioratedunitsneitherrepairednorreproducedduringtheperiodunderreview.
7. Deteriorationoccursassoonasitemsarereceivedintoinventorymanagementsystem.
8. Parametersareconsideredto betriangularfuzzynumberincase offuzzymodel.
9. The demand (D) of supplier is such that $D=Q/T$; where Q is ordered quantity of retailerinperiodT.
10. Demand rate of retailer is deterministic and is the function of in hand inventory ofretailerat any time t andisillustrated as

$$d(t)=\alpha+\beta I_R(t) \quad 0 \leq t \leq T$$

suchthat $\alpha > 0, \beta > 0$

3.2 Notations

O_c	Costoforderingofretailer perorder
S_c	Setupcostofsupplier
C_s	Productioncostofsupplierperunit item
C_o	Orderingcostperorder
d_r	Deteriorationcostofretailerperunititem
d_s	Deteriorationcostofsupplierperunititem
h_r	Inventoryholdingcostof retailerperunit item
h_s	Inventoryholdingcostofsupplierperunititem
p_r	Purchasingcostofretailerperunititem
a	Fixtransportationcostpertripoftransportation
b	Variabletransportationcostperorderedquantityperunitdistance
d	Distanceofretailer'swarehousefromproductionunitofsupplier
γ	Rate of deterioration of inventory at both warehouse of supply
chainT	Cyclelengthofretailers
T_1	Productiontimeperiodofsupplier
T_2	Timeatwhichsupplier'sinventoryvanishes
$I_R(t)$	Inventorylevel ofretailerat any timetin theinterval $0 \leq t \leq T$
$I_{Si}(t)$	Inventorylevel ofsupplierat any timetin theinterval $0 \leq t \leq T_2$ where $i=1,2$
N	Numberofdeliversiessupplied bysuppliertotheretailers
Q	Ordersizeperorder ofretailer
$TCl_{csr}(N,T,T_1,T_2)$	TotalAverageinventorycostforcrispmodel
$\tilde{\alpha}$	Fuzzyfixeddemandparameterofretailer
$\tilde{\beta}$	Fuzzyvariabledemandparameterbaseoninventorylevel
$\tilde{\gamma}$	Fuzzydeteriorationrateinbothwarehouses
$\tilde{p}_r$	Fuzzypurchasing costparameterofretailer
$\tilde{S}_c$	Fuzzysetupcostparameterofsupplier
$\tilde{P}$	Fuzzyproductionrate ofsupplier

$TCT_{csr}(N, T, T_1, T_2)$ Total Average inventory cost for fuzzy model
 {~Sign represent the fuzziness of the parameters}

4.0 Formulation of Mathematical Model (Crisp Model)

In this section models are developed for retailer and supplier separately and effect of parameter on combined supply chain is illustrated by numerical example in the later section.

4.1 : Retailer's Inventory model for j^{th} cycle $(j-1)T \leq t \leq jT$

Graphical scenario is illustrated in the figure-1 and level of inventory is described by the differential equation. At the first instant Q quantity of inventory entered into the inventory system which is stocked in a warehouse and decline due to demand of consumers and deterioration in the period $(j-1)T \leq t \leq jT$. The following differential equation govern the level of inventory:

$$\frac{dI_R(t)}{dt} = -\lambda I_R(t) - d(t); \quad (j-1)T \leq t \leq jT \quad (1)$$

At the beginning of inventory system $I_R((j-1)T) = Q$, using as boundary conditions solution of eq.(1) is
 $I_{Rj}(t) = (Q + \frac{\alpha}{\beta + \gamma})e^{-(\beta + \gamma)(t - (j-1)T)} - \frac{\alpha}{\beta + \gamma}; \quad (j-1)T \leq t \leq jT \quad (2)$

Where,

$$Q = e^{(\beta + \gamma)T} - 1$$




Figure-1: Graph representing depletion of inventory level in warehouses

The retailer's inventory system consists following costs to be included in minimizing average total inventory cost

- Ordering cost
- Inventory holding cost
- Deterioration cost
- Purchasing cost

Now above costs are illustrated as under:

Ordering cost for j^{th} cycle $(j-1)T \leq t \leq jT$

$$CO_{Ij} = j o_r \quad (3)$$

Ordering cost for complete N-cycle

$$CO_{In} = \sum_{j=1}^n j o_r \quad (4)$$

Inventory holding cost for j^{th} cycle $(j-1)T \leq t \leq jT$

$$\begin{aligned} IH_{crj} &= h_r \left\{ \int_{(j-1)T}^{jT} I_{Rj}(t) dt \right\} \\ &= h \left\{ \int_{(j-1)T}^{jT} \left(Q + \frac{\alpha}{\beta + \gamma} \right) e^{-(\beta + \gamma)(t - (j-1)T)} - \frac{\alpha}{\beta + \gamma} dt \right\} \end{aligned} \quad (5)$$

Inventory holding cost for complete N-cycle

$$IH_{crn} = \sum_{j=1}^n IH_{crj} \quad (6)$$

Inventory deterioration cost for j^{th} cycle $(j-1)T \leq t \leq jT$

$$\begin{aligned} ID_{crj} &= d_r \left\{ \int_{(j-1)T}^{jT} \gamma I_{Rj}(t) dt \right\} \\ &= d \left\{ \int_{(j-1)T}^{jT} \gamma \left(Q + \frac{\alpha}{\beta + \gamma} \right) e^{-(\beta + \gamma)(t - (j-1)T)} - \frac{\alpha}{\beta + \gamma} dt \right\} \end{aligned} \quad (7)$$

Inventory deterioration cost for complete N-cycle

$$ID_{crn} = \sum_{j=1}^n ID_{crj} \quad (8)$$

Inventory purchase cost for j^{th} cycle

$$\begin{aligned} IP_{crj} &= p_c(Q_j) \\ &= P_c(e^{(\beta + \gamma)T} - 1) \end{aligned} \quad (9)$$

Inventory purchase cost for complete N-cycle

$$IP_{crn} = \sum_{j=1}^n IP_{crj} \quad (10)$$

Hence the total average inventory cost per unit of time of retailer for complete n-cycle is given by

$$\begin{aligned} TI(N, T) &= \frac{1}{T} [CO_{cr} + IH_{crn} + ID_{crn} + IP_{crn}] \\ &= \frac{1}{T} \left[\sum_{j=1}^n j o_r + \sum_{j=1}^n IH_{crj} + \sum_{j=1}^n ID_{crj} + \sum_{j=1}^n IP_{crj} \right] \end{aligned} \quad (11)$$

4.2: Supplier's Inventory Model

Graphical scenario for the level of inventory produced and supplied to retailer is illustrated in the figure-1. At the first instant P quantity of inventory produced and is reduced due to supplier's demand and deterioration in the period $(0 \leq t \leq T_1)$ and remaining products decline due to demand of supplier and deterioration in the period $(T_1 \leq t \leq T_2)$. The following differential equation governs the level of inventory during the entire period:

$$\frac{dl_{s1}(t)}{dt} = P - d(t) - \gamma I(t); \quad (0 \leq t \leq T_1) \quad (12)$$

$$\frac{dl_{s2}(t)}{dt} = -\gamma I(t) - d(t); \quad (T_1 \leq t \leq T_2) \quad (13)$$

At the beginning of inventory system $I_{s1}(0)=0$, using this condition as boundary condition solution of eq. (12) is

$$I_{s1}(t) = \left(\frac{P-D}{\gamma}\right)(1 - e^{-\gamma t}); \quad (0 \leq t \leq T_1) \quad (14)$$

Due to continuity at $t=T_1$, $I_{s2}(T_2)=I_{s1}(T_1)$, using this condition solution of eq. (13) is obtained as

$$I(t) = \left(I_{s1}(T_1) + \frac{D}{\gamma}\right)e^{-\gamma(t-T_1)} - \frac{D}{\gamma} \quad (T_1 \leq t \leq T_2) \quad (15)$$

The supplier's inventory system consists following costs to be included in minimizing average total inventory cost

- Setup cost
- Inventory holding cost
- Deterioration cost
- Production cost
- Transportation cost

Now above costs are illustrated as under:

Setup cost

$$S_{sc} = S_c \quad (16)$$

Inventory holding cost

$$\begin{aligned} IH_{cs} &= h_s \left\{ \int_0^{T_1} I_{s1}(t) dt + \int_{T_1}^{T_2} I_{s2}(t) dt \right\} \\ &= h_s \left\{ \int_0^{T_1} \left(\frac{P-D}{\gamma}\right)(1 - e^{-\gamma t}) dt + \int_{T_1}^{T_2} \left(I_{s1}(T_1) + \frac{D}{\gamma}\right)e^{-\gamma(t-T_1)} - \frac{D}{\gamma} dt \right\} \end{aligned} \quad (17)$$

Inventory deterioration cost

$$\begin{aligned} ID_{cs} &= d_s \left\{ \int_0^{T_1} \gamma I_{s1}(t) dt + \int_{T_1}^{T_2} \gamma I_{s2}(t) dt \right\} \\ &= d_s \left\{ \int_0^{T_1} \gamma \left(\frac{P-D}{\gamma}\right)(1 - e^{-\gamma t}) dt + \int_{T_1}^{T_2} \gamma \left(I_{s1}(T_1) + \frac{D}{\gamma}\right)e^{-\gamma(t-T_1)} - \frac{D}{\gamma} dt \right\} \end{aligned} \quad (18)$$

Inventory production cost

$$IP_{cs} = \int_0^{T_2} P dt \quad (19)$$

Inventory transportation cost for complete N-cycle

$$IT_{csn} = N(a + bQd) \quad (20)$$

Hence the total average inventory cost per unit of time for complete n-cycle is given by

$$\begin{aligned}
 TIC_{cs}(N, T_1, T_2) &= \frac{1}{T} [S_{sc} + IH_{cs} + ID_{cs} + IP_{cs} + IT_{csn}] \\
 &= \frac{1}{T} [S_{sc} + h_s \{ \int_0^{T_1} (\frac{P-D}{\gamma})(1-e^{-\gamma t}) dt + \int_{T_1}^{T_2} ((I_{s1}(\frac{D}{T_1} + \frac{D}{\gamma})e^{-\gamma(t-T_1)} - \frac{D}{\gamma}) dt \} + \\
 &\quad d_s \{ \int_0^{T_1} \gamma (\frac{P-D}{\gamma})(1-e^{-\gamma t}) dt + \int_{T_1}^{T_2} \gamma ((I_{s1}(\frac{D}{T_1} + \frac{D}{\gamma})e^{-\gamma(t-T_1)} - \frac{D}{\gamma}) dt \} + \\
 &\quad C_p \int_0^{T_2} P dt + N(a + bQd)] \quad (21)
 \end{aligned}$$

Presentworthoftotalinventorycostofsupplychaintakentogetherisgivenby

$$\begin{aligned}
 TIC_{csr}(N, T, T_1, T_2) &= \frac{1}{T} [\sum_{j=1}^n j O_r + \sum_{j=1}^n j IH_{crj} + \sum_{j=1}^n j ID_{crj} + \sum_{j=1}^n j IP_{crj} + S_{sc} \\
 &\quad + h_s \{ \int_0^{T_1} (\frac{P-D}{\gamma})(1-e^{-\gamma t}) dt + \int_{T_1}^{T_2} ((I_{s1}(T_1) + \frac{D}{\gamma})e^{-\gamma(t-T_1)} - \frac{D}{\gamma}) dt \} \\
 &\quad + d_s \{ \int_0^{T_1} \gamma (\frac{P-D}{\gamma})(1-e^{-\gamma t}) dt \\
 &\quad + \int_{T_1}^{T_2} \gamma ((I_{s1}(T_1) + \frac{D}{\gamma})e^{-\gamma(t-T_1)} - \frac{D}{\gamma}) dt \} + C_p \int_0^{T_2} P dt + N(a + bQd)] \quad (22)
 \end{aligned}$$

Thecombinedinventoryaveragecostisfunctionof T, T_1, T_2 onlyandtheoptimalvalueof T, T_1, T_2 can be obtained by equating $\frac{\partial TIC_{csr}(T, T_1, T_2)}{\partial T} = 0; \frac{\partial TIC_{csr}(T, T_1, T_2)}{\partial T_1} = 0; \frac{\partial TIC_{csr}(T, T_1, T_2)}{\partial T_2} = 0$ and necessaryconditionofHessianmatrixHwhichareasundersatisfied.

$$H = \begin{pmatrix} \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T^2} & \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T \partial T_1} & \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T \partial T_2} \\ \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T \partial T_1} & \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T_1^2} & \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T_1 \partial T_2} \\ \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T \partial T_2} & \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T_1 \partial T_2} & \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T_2^2} \end{pmatrix}$$

Thenecessaryconditionfor T, T_1, T_2 to be optimal isthat the first principal minor determinant of H, $H_{11} > 0$, second principal minor $H_{22} > 0$ and third principal minor $H_{33} > 0$ and optimal value of N (discrete value) is found in such a way that optimal value of $TIC_{csr}(T^*, T_1^*, T_2^*)$ is achieved. Here T^*, T_1^*, T_2^* are optimal values.

5.0 Formulation of Inventory Model (Fuzzy Model)

Uncertain situation cannot deal with crisp nature of parameters. In the present global market scenario, the value of parameters like different cost, demand rate, production rate and deterioration rate may fluctuate due to the several reasons and uncertainty like natural hazard etc. The fluctuation in parameters at any time cannot be pre-determined until one reaches the situation of that time. Therefore, the only possibility is to consider the possible range of fluctuation. To deal with such type of uncertain situation, a corresponding fuzzy model has been developed, considering vagueness of some parameter affecting the total inventory cost. Parameters affecting inventory cost is considered as triangular fuzzy numbers. The Signed Distance Method is used to solve the developed model to minimize the total inventory cost and sensitivity of the fuzzy parameters are performed on fuzzy model. Also, sensitivity is performed and deviation is observed.

Using equation (22) and fuzzy parameters we have,

$$\tilde{\alpha}_r = (\tilde{\alpha}_1, \tilde{\alpha}_2, \tilde{\alpha}_3), \tilde{\beta}_r = (\tilde{\beta}_1, \tilde{\beta}_2, \tilde{\beta}_3), \tilde{\gamma}_{rs} = (\tilde{\gamma}_1, \tilde{\gamma}_2, \tilde{\gamma}_3), \tilde{S}_{sc} = (\tilde{S}_1, \tilde{S}_2, \tilde{S}_3),$$

$$\tilde{p}_r = (\tilde{p}_1, \tilde{p}_2, \tilde{p}_3) \text{ and } \tilde{P} = (\tilde{P}_1, \tilde{P}_2, \tilde{P}_3)$$

Therefore, fuzzy model is given by

$$TIC_{csr}(T, T_1, T_2) = (TIC_{1csr}(N, T, T_1, T_2), TIC_{2csr}(N, T, T_1, T_2), TIC_{3csr}(N, T, T_1, T_2)) \quad (23)$$

Where,

$$\begin{aligned} TIC_{1csr}(T, T_1, T_2) = & \left[\sum_{j=1}^n \left(\frac{jo}{r} + \sum_{j=1}^n \frac{IH}{crj} + \sum_{j=1}^n \frac{ID}{crj} + \sum_{j=1}^n \frac{IP}{crj} + \tilde{S}_1 + h \int_0^T \left(\frac{P_1 - D_1}{\tilde{\gamma}_1} \right) (1 - e^{-\tilde{\gamma}_1 t}) dt + \right. \right. \\ & \left. \int_{T_1}^{T_2} \left(\left(Q + \frac{\tilde{\alpha}_1}{\beta_1 + \tilde{\gamma}_1} \right) e^{-(\beta_1 + \tilde{\gamma}_1)(T_1 - (j-1)T)} - \frac{\tilde{\alpha}_1}{\beta_1 + \tilde{\gamma}_1} + \frac{D}{\tilde{\gamma}_1} \right) e^{-\tilde{\gamma}_1(t - T_1) - \frac{D}{\tilde{\gamma}_1}} dt \right) + d \int_0^{T_1} \tilde{\gamma}_1 \left(\frac{P_1 - D}{\tilde{\gamma}_1} \right) (1 - e^{-\tilde{\gamma}_1 t}) dt + \right. \\ & \left. \int_{T_1}^{T_2} \tilde{\gamma}_1 \left(\left(Q + \frac{\tilde{\alpha}_1}{\beta_1 + \tilde{\gamma}_1} \right) e^{-(\beta_1 + \tilde{\gamma}_1)(T_1 - (j-1)T)} - \frac{\tilde{\alpha}_1}{\beta_1 + \tilde{\gamma}_1} + \frac{D}{\tilde{\gamma}_1} \right) e^{-\tilde{\gamma}_1(t - T_1) - \frac{D}{\tilde{\gamma}_1}} dt \right) + C \int_0^{T_2} P_1 dt + N(a + bQd) \Big] \\ TIC_{2csr}(T, T_1, T_2) = & \left[\sum_{j=1}^n \left(\frac{jo}{r} + \sum_{j=1}^n \frac{IH}{crj} + \sum_{j=1}^n \frac{ID}{crj} + \sum_{j=1}^n \frac{IP}{crj} + \tilde{S}_2 + h \int_0^T \left(\frac{P_2 - D_2}{\tilde{\gamma}_2} \right) (1 - e^{-\tilde{\gamma}_2 t}) dt + \right. \right. \\ & \left. \int_{T_1}^{T_2} \left(\left(Q + \frac{\tilde{\alpha}_2}{\beta_2 + \tilde{\gamma}_2} \right) e^{-(\beta_2 + \tilde{\gamma}_2)(T_1 - (j-1)T)} - \frac{\tilde{\alpha}_2}{\beta_2 + \tilde{\gamma}_2} + \frac{D}{\tilde{\gamma}_2} \right) e^{-\tilde{\gamma}_2(t - T_1) - \frac{D}{\tilde{\gamma}_2}} dt \right) + d \int_0^{T_1} \tilde{\gamma}_2 \left(\frac{P_2 - D}{\tilde{\gamma}_2} \right) (1 - e^{-\tilde{\gamma}_2 t}) dt + \right. \\ & \left. \int_{T_1}^{T_2} \tilde{\gamma}_2 \left(\left(Q + \frac{\tilde{\alpha}_2}{\beta_2 + \tilde{\gamma}_2} \right) e^{-(\beta_2 + \tilde{\gamma}_2)(T_1 - (j-1)T)} - \frac{\tilde{\alpha}_2}{\beta_2 + \tilde{\gamma}_2} + \frac{D}{\tilde{\gamma}_2} \right) e^{-\tilde{\gamma}_2(t - T_1) - \frac{D}{\tilde{\gamma}_2}} dt \right) + C \int_0^{T_2} P_2 dt + N(a + bQd) \Big] \\ TIC_{3csr}(T, T_1, T_2) = & \left[\sum_{j=1}^n \left(\frac{jo}{r} + \sum_{j=1}^n \frac{IH}{crj} + \sum_{j=1}^n \frac{ID}{crj} + \sum_{j=1}^n \frac{IP}{crj} + \tilde{S}_3 + h \int_0^T \left(\frac{P_3 - D_3}{\tilde{\gamma}_3} \right) (1 - e^{-\tilde{\gamma}_3 t}) dt + \right. \right. \\ & \left. \int_{T_1}^{T_2} \left(\left(Q + \frac{\tilde{\alpha}_3}{\beta_3 + \tilde{\gamma}_3} \right) e^{-(\beta_3 + \tilde{\gamma}_3)(T_1 - (j-1)T)} - \frac{\tilde{\alpha}_3}{\beta_3 + \tilde{\gamma}_3} + \frac{D}{\tilde{\gamma}_3} \right) e^{-\tilde{\gamma}_3(t - T_1) - \frac{D}{\tilde{\gamma}_3}} dt \right) + d \int_0^{T_1} \tilde{\gamma}_3 \left(\frac{P_3 - D}{\tilde{\gamma}_3} \right) (1 - e^{-\tilde{\gamma}_3 t}) dt + \right. \\ & \left. \int_{T_1}^{T_2} \tilde{\gamma}_3 \left(\left(Q + \frac{\tilde{\alpha}_3}{\beta_3 + \tilde{\gamma}_3} \right) e^{-(\beta_3 + \tilde{\gamma}_3)(T_1 - (j-1)T)} - \frac{\tilde{\alpha}_3}{\beta_3 + \tilde{\gamma}_3} + \frac{D}{\tilde{\gamma}_3} \right) e^{-\tilde{\gamma}_3(t - T_1) - \frac{D}{\tilde{\gamma}_3}} dt \right) + C \int_0^{T_2} P_3 dt + N(a + bQd) \Big] \end{aligned}$$

Using Signed Distance Method total average inventory can be calculated by

$$TIC_{csr}(T, T_1, T_2) = \frac{1}{4T} [TIC_{1csr}(T, T_1, T_2) + 2TIC_{2csr}(T, T_1, T_2) + TIC_{3csr}(T, T_1, T_2)] \quad (24)$$

The objective is to

$$\text{minimize: } TIC_{csr}(T, T_1, T_2)$$

$$\text{Subject to: } (T > 0, T_1 > 0, T_2 > 0)$$

The combined inventory average cost is function of T, T_1, T_2 only and the optimal value of

T, T_1, T_2 can be obtained by equating $\frac{\partial TIC_{csr}(T, T_1, T_2)}{\partial T} = 0; \frac{\partial TIC_{csr}(T, T_1, T_2)}{\partial T_1} = 0; \frac{\partial TIC_{csr}(T, T_1, T_2)}{\partial T_2} = 0$ under

the necessary condition of Hessian matrix $\tilde{H}$ which are as under is satisfied.

$$\tilde{H} = \begin{pmatrix} \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T^2} & \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T \partial T_1} & \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T \partial T_2} \\ \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T \partial T_1} & \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T_1^2} & \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T_1 \partial T_2} \\ \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T \partial T_2} & \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T_1 \partial T_2} & \frac{\partial^2 TIC_{csr}(T, T_1, T_2)}{\partial T_2^2} \end{pmatrix}$$

The necessary condition for T, T_1, T_2 to be optimal is that the first principal minor determinant

of $\tilde{H}_1 > 0$, second principal minor $\tilde{H}_2 > 0$ and third principal minor $\tilde{H}_3 > 0$ and optimal

value of N (discrete value) is found in such a way that optimal value of $TIC_{csr}(N, T^*, T_1^*, T_2^*)$ is achieved. Here T^*, T_1^*, T_2^* are optimal values.

6.0 Numerical Illustration for models:

To analyse the model, following example is taken. The exponential function has been solved upto second approximation. The values of parameters are not collected from any real-life case study but these values are realistic and chosen randomly to illustrate and validate the model. Considering the value of parameters in an appropriate unit (displayed in Table-1 for crisp model and in Table-3 for fuzzy model) and using suitable mathematical software, the optimal average inventory cost has been obtained which are displayed in Table-2 & Table-4 for two models separately. Sensitivity analysis has been performed only for fuzzy model on fuzzy parameter considering change upper bound of triangular fuzzy numbers.

Table-1

Parameter	h_r	h_s	d_r	d_s	α	B	γ	o_r	p_r	s_c	a	b	d	P	C_s	N
Example	0.8	0.7	0.9	0.95	50	0.2	0.02	90	20	200	40	0.03	95	150	5.0	2

Table-2: Crisp Model

T^*	T_1^*	T_2^*	$TIC_{csr}(T^*, T_1^*, T_2^*)$
1.0689	3.0965	39.7485	191.795

Table-3:

Parameter	h_r	h_s	d_r	d_s	α	B	γ	o_r	p_r	s_c	a	b	d	P	C_s	N
Example	0.8	0.7	0.9	0.95	50	0.2	0.02	90	20	180	40	0.03	95	150	5.0	2

Parameter	α	B	γ	p_r	s_c	P
Triangular fuzzy number	(49,50,51)	(0.19,0.2,0.21)	(0.01,0.02,0.03)	(15,20,25)	(180,200,220)	(100,150,200)

Table-4:FuzzyModel

Method	T^*	T_1^*	T_2^*	$TIC_{csr}(T^*, T_1^*, T_2^*)_2$
SignedDistance	0.9412	2.5961	41.4928	190.183

7. SensitivityPerformance

FuzzyModel

Table-5.1:Variationintotalinventorycostwithrespecttoproductionunit

Variationintotalinventorycostwithrespectto $P(100,150,250)$				
Parameter→ Method ↓	T^*	T_1^*	T_2^*	$TIC_{csr}(T^*, T_1^*, T_2^*)_2$
SignedDistance	0.08193	2.2814	41.426	207.937

Table-5.2:Variationintotalinventorycostwithrespecttopurchasecost

Variationintotalinventorycostwithrespectto $\tilde{p}_r(15,20,30)$				
Parameter→ Method ↓	T^*	T_1^*	T_2^*	$TIC_{csr}(T^*, T_1^*, T_2^*)_2$
SignedDistance	0.9814	2.6708	40.835	212.11

Table-5.3:Variationintotalinventorycostwithrespectto fixeddemand

Variationintotalinventorycostwithrespectto $\tilde{a}(49,50,60)$				
Parameter→ Method ↓	T^*	T_1^*	T_2^*	$TIC_{csr}(T^*, T_1^*, T_2^*)_2$
SignedDistance	0.9847	2.7614	40.9868	213.509

Table-5.4: Variation in total inventory cost with respect to scale factor of demand

Variation in total inventory cost with respect to $\beta(0.19, 0.20, 0.23)$				
Parameter → Method ↓	T^*	T_1^*	T_2^*	$TIC_{csr}(T^*, T_1^*, T_2^*)_2$
Signed Distance	0.9814	2.6743	40.8189	187.208



Table-5.5: Variation in total inventory cost with respect to deterioration rate

Variation in total inventory cost with respect to $\hat{\gamma}(0.01, 0.02, 0.035)$				
Parameter → Method ↓	T^*	T_1^*	T_2^*	$TIC_{csr}(T^*, T_1^*, T_2^*)_2$
Signed Distance	0.9116	2.5303	40.1561	191.458

Result analysis of Crisp and Fuzzy model

When all the given conditions and constraints are satisfied, the optimal solution is obtained. Table-2 & Table-

4, reveals that the average total relevant average inventory cost in an appropriate unit is minimum in case of fuzzy model as compared to crisp model and cycle length of retailer and production time period of supplier are lower but total cycle length of supplier moderately higher. Therefore, fuzzy model is more valuable in dealing with uncertain situation due to flexibility in choosing a range of values of parameters in respect of future planning. Trend of change in the value of total average inventory cost of supply chain in case of fuzzy inventory model is illustrated by 2-D graphical representation in the figure- 3 for some selected parameters.






Figure-3: Representing trend of change in Average inventory cost

8. Sensitivity analysis and observance:

From sensitivity performance, the following observations have been made:-

1. If there is increase in the upper value of triangular fuzzy number of fixed demand parameter, keeping other same, the cycle length of retailer and production period of supplier and total cycle length of suppliers slightly increases but the average inventory cost moderately increases.
2. If there is increase in the upper value of triangular fuzzy number of scale parameter of demand, keeping other same, the cycle length of retailer and production period of supplier and total cycle length of suppliers slightly increases but the average inventory cost moderately decreases.
3. If there is increase in the upper value of triangular fuzzy number of deterioration parameter, keeping other same, the cycle length of retailer and production period of supplier and total cycle length of suppliers slightly decreases but the average inventory cost over all have no effect.
4. If there is increase in the upper value of triangular fuzzy number of purchased cost parameter, keeping other same, the cycle length of retailer and production period of supplier have no more effect and total cycle length of supplier slightly increases but the average inventory cost moderately increases.
5. If there is increase in the upper value of triangular fuzzy number of production parameter, keeping other same, the cycle length of retailer moderately decreases and there is slight decrease in the production period of supplier but total cycle length of supplier have no effect while average inventory cost moderately increases.

9.0 Conclusion:

This paper presents an integrated supply chain model to optimize total inventory cost of supply chain in which retailer and supplier are involved. Deterioration rate for both are taken to be constant and same. Demand of retailer varies depending upon the inventory level while per order

demand is fixed. Crisp and a fuzzy model has been developed and models are validated through numerical example. A suitable mathematical software has been used to solve the optimization problem and results have been compared. Sensitivity analysis has been performed on some fuzzy parameters considering change in the upper value of triangular fuzzy number. It has been observed that fuzzy model is more useful than crisp model to deal with future uncertainty. Further this model can be extended by considering other demand pattern and trade credit payment with different combination of deterioration rates with inflation.

References:

- [1] L.A. Zadeh, Fuzzy Set, Information Control, 8(1965), 338-353.
- [2] L.A. Zadeh and R.E. Bellman, Decision making in a fuzzy environment, Management Science, 17(1970), 140-164.
- [3] R. Jain, Decision making in the presence of fuzzy variables, IEEE Transactions on Systems, Man and Cybernetics, 17(1976) 698-703.
- [4] D. Dubois and H. Prade, Operations on fuzzy numbers, International Journal of System Science, 9(1978) 613-626.
- [5] S. Kumar, D. Kundu and A. Goswami, An Economic Production Inventory Model Involving Fuzzy Demand Rate and Fuzzy Deterioration Rate, Journal of Applied Mathematics and Computing, 12(2007) 251-260.
- [6] J.K. Syed and L.A. Aziz, Fuzzy Inventory Model without shortages by Using Signed Distance method. Applied Mathematics and Information Science, 1(2007) 203-209.
- [7] P.K. De and A. Rawat, Fuzzy Inventory Model Without Shortage Using Triangular Fuzzy Number, Fuzzy Information and Engineering, 3(2001) 59-61.
- [8] C.K. Jaggi, S. Pareek, A. Sharma and Nidhi, Fuzzy Inventory Model for Deteriorating Items with Time Varying Demand and Shortages. American Journal of Operational Research, 2(2012) 81-92.
- [9] D. Datta and P. Kumar, Fuzzy Inventory Model without shortages by Using Trapezoidal Fuzzy Number with Sensitivity Analysis. IOSR Journal of Mathematics, 4(2012) 32-37.
- [10] K.A. Halem, B.C. Giri and K.S. Chaudhari, Fuzzy economic order quantity model for perishable item with stochastic demand, partial backlogging and fuzzy deteriorating rate. International Journal of Operational Research, 3(2008) 77-96.
- [11] S.R. Singh and C. Singh, Fuzzy Inventory Model for finite rate of Replenishment using Signed Distance Method. International Transactions in Mathematical Sciences and Computer, 1(1)(2008) 27-34.
- [12] N. Kazemi, E. Ehsani and M.Y. Jaber, An inventory model with backorders with fuzzy parameters and decision variables, International Journal of Approximate Reasoning, 51(2010), 964-972.
- [13] Palani, R. and Maragatham, M., Fuzzy inventory model for time dependent deteriorating items with lead time stock dependent demand rate and shortages, International Journal of Development Research, Vol. 07, Issue, 10 (2017) 15988-15995.
- [14] Shabnam Fathalizadeh, Abolfazl Mirzazadeh and Ali Ghodrathnama, Fuzzy inventory models with partial backordering for deteriorating items under stochastic inflationary conditions: Comparative comparison of the modelling methods, Cogent Engineering (2019), 6:1648630.

- [15] Sujit Kumar De and Gour Chandra Mahata, A cloudy fuzzy economic order quantity model for imperfect-quality items with allowable proportionated discounts, *Journal of Industrial Engineering International* 15 (2019), 571–583.
- [16] Swagatika Sahoo, Milu Acharya and Mitali Madhusmita Nayak, A three rates of EOQ/EPQ Model for Instantaneous Deteriorating Items Involving Fuzzy Parameter Under Shortages, *International Journal of Innovative Technology and Exploring Engineering (IJITEE)*, Volume-8(2019) Issue-8S2, 405-418.
- [17] C.Y.Dye, L.Y.Ouyang, T.P.Hsieh, Deterministic inventory model for deteriorating items with capacity constraints and time proportional backlogging rate, *Eur.J. Oper.Res.* 178 (3) (2007) 789-807.
- [18] Sujata Saha, Fuzzy inventory model for deteriorating items in a supply chain system with price dependent demand and without backorder, *American Journal of Engineering Research (AJER)*; Volume-6(2017), Issue-6, pp-183-187.
- [19] R Saranya and R Varadarajan, A fuzzy inventory model with acceptable shortage using graded mean integration value method; *National Conference on Mathematical Techniques and its Applications (NCMTA 18)*; *IOP Conf. Series: Journal of Physics: Conf. Series* 1000 (2018).
- [20] R. Patro, Mitali M, Nayak and M. Acharya, An EOQ model for fuzzy defective rate with allowable proportionated discount; *OPSEARCH* (2019) 56:191–215.
- [21] Smita Rani , Rashid Ali and Anchal Agarwal, Fuzzy inventory model for deteriorating items in a green supply chain with carbon concerned demand; *OPSEARCH* (2019) 56:91–122.
- [22] Dincer Konur, Carbon constrained integrated inventory control and truckload transportation with heterogeneous freight truck, *Inte. J. Production Economics* 153 (2014) 268-279.
- [23] A. M. Fathollahi Fard and M.H. Hajaghaei- Keshteli, A tri-level location-allocation model for forward/reverse supply chain, *Applied Soft Computing*; 62 (2018) 328-346.
- [24] A.K. Sinha and Ankush Anand, Optimizing supply chain network for perishable products using improved bacteria foraging algorithm, *Applied Soft Computing Journal* 86 (2020) 1-13.
- [25] Anupama Sharma , Vipin Kumar and **Anil Kumar** and C B Gupta (2022): An EOQ model for non-instantaneously deteriorating items under permissible delay in payments and inflation, *proceedings of International conference on Frontier of Science and Technology-2021*, *AIP Conference Proceedings* **2597**, 060001 (2022); <https://doi.org/10.1063/5.0115333>, ISBN 978073544299-3, published online 29 December 2022.